## PRODUCT INFORMATION PACKET

genteq®

Model No: 3050 Catalog No: 3050

1/3 HP OEM Replacement Motor, 825 RPM, 230 Volts, 48 Frame, OAO

**HVAC/R OEM Replacement Motors** 





Regal and Genteq are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E

Product Information Packet: Model No: 3050, Catalog No:3050 1/3 HP OEM Replacement Motor, 825 RPM, 230 Volts, 48 Frame, OAO



## Nameplate Specifications

1/3 Hp	Frequency	60 Hz
230 V	Current	3.20 A
825 rpm	Service Factor	1
1	Duty	Continuous Air Over
В	Frame	48
Open Air Over	Thermal Protection	Thermally Protected
Open Air Over 40 °C	Thermal Protection UL	Thermally Protected  Recognized
	230 V 825 rpm 1	230 V Current  825 rpm Service Factor  1 Duty

## **Technical Specifications**

Electrical Type	Permanent Split Capacitor	Poles	8
Rotation	Counterclockwise	Mounting	Resilient Rings
Motor Orientation	Any	Drive End Bearing	Sleeve
Opp Drive End Bearing	Sleeve	Frame Material	Rolled Steel
Shaft Type	Flat	Overall Length	9.89 in
Frame Length	5.32 in	Shaft Diameter	0.500 in
Shaft Extension	3.00 in		


This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:25/10/2019

This document is the property of RESAL-BELOTT Corporation (1882) including its subsidiaries and distinct and contains proprietary information of REC. This document is loaned on the express condition that neither it nor the information contained there in shall be disclosed to others without the express without occurrent of REC, and that the information shall be used by the recipilist only as approved expressly by REC. This document shall be returned to REC upon its request. This document may be subject to certain restrictions under the U.S. export control law and requisitions.

REV -REVISIONS

NO[L4] NOS30

Convert to RBC Format **JAR 8-2005** 



3 of 3

TYPE FACE:

 $\Omega$ 

COLORS OR NUMBERS DENOTING LEAD IDENTIFICATION AND N.P. NUMBER ARE TO BE 18 POINT NEWS GOTHIC CONDENSED. OTHER INFORMATION SHOULD BE 18 POINT IF SPACE ALLOWS, OTHERWISE USE 14 POINT.

MATERIALS: 4 MIL WHITE VINYL ADHESIVE STOCK GE SPEC ASOFG41-SI

BLACK INK GE SPEC A50FM48

NOTE: THE BOX LINES AND DIMENSIONS REPRESENT THE SIZE OF THE TAPE TO BE USED. DO NOT INCLUDE THESE IN STAMP FORMAT.



REGAL-BELOIT CORPORATION

CONNECTION DIAGRAM

NP231849

F. ROSS

ON

6/61