

# PRODUCT INFORMATION PACKET



Model No: 3275  
Catalog No: 3275  
3/4 HP OEM Replacement Motor, 1075 RPM, 5 Speed, 115 Volts, 48 Frame, OAO  
HVAC/R OEM Replacement Motors



Regal and Genteq are trademarks of Regal Beloit Corporation or one of its affiliated companies.  
©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E





**Nameplate Specifications**

Output HP	<b>3/4 Hp</b>	Frequency	<b>60 Hz</b>
Voltage	<b>115 V</b>	Current	<b>9.00 A</b>
Speed	<b>1075 rpm</b>	Service Factor	<b>1</b>
Phase	<b>1</b>	Duty	<b>Continuous Air Over</b>
Insulation Class	<b>B</b>	Frame	<b>48</b>
Enclosure	<b>Open Air Over</b>	Thermal Protection	<b>Thermally Protected</b>
Ambient Temperature	<b>40 °C</b>	UL	<b>Recognized</b>
CSA	<b>Y</b>	CE	<b>N</b>

**Technical Specifications**

Electrical Type	<b>Permanent Split Capacitor</b>	Poles	<b>6</b>
Rotation	<b>Counterclockwise</b>	Mounting	<b>Resilient Rings</b>
Motor Orientation	<b>Any</b>	Drive End Bearing	<b>Sleeve</b>
Opp Drive End Bearing	<b>Sleeve</b>	Frame Material	<b>Rolled Steel</b>
Shaft Type	<b>Flat</b>	Overall Length	<b>8.89 in</b>
Frame Length	<b>4.82 in</b>	Shaft Diameter	<b>0.500 in</b>
Shaft Extension	<b>2.50 in</b>		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:25/10/2019

**RBC PROPRIETARY STATEMENT**



The document is the property of REGAL-BELOIT Corporation ("RBC") including its subsidiaries and divisions and contains proprietary information of RBC. The document is loaned on the express condition that neither it nor the information contained therein shall be disclosed to others without the express written consent of RBC and that the information shall be used by the recipient only as approved expressly by RBC. The document shall be returned to RBC upon its request. The document may be subject to certain restrictions under the U.S. export control law and regulations.

REV	DESCRIPTION
1	Convert to RBC Format JAR 10 2005

**REV1SIONS**

DESCRIPTION

1 Convert to RBC Format JAR 10 2005



**TYPE FACE:** COLORS OR NUMBERS DENOTING LEAD IDENTIFICATION AND N.P. NUMBER ARE TO BE 18 POINT NEWS GOTHIC CONDENSED. OTHER INFORMATION SHOULD BE 18 POINT IF SPACE ALLOWS, OTHERWISE USE 14 POINT.

**MATERIALS:** 4 MIL WHITE VINYL ADHESIVE STOCK GE SPEC 450FG41-S1

BLACK INK GE SPEC A50FM448

**NOTE:** THE BOX LINES AND DIMENSIONS REPRESENT THE SIZE OF THE TAPE TO BE USED. DO NOT INCLUDE THESE IN STAMP FORMAT.



REGAL-BELOIT CORPORATION

**CONNECTION DIAGRAM**

NP 24X327425

CAS 10-82

FILE:

DPC #

1 SQUED

SCALE NO